

A Journey in Functional Programming

An introduction to Haskell

Davide Spataro¹

¹Department of mathematics And Computer Science
Univeristy of Calabria

April 22, 2015

Table of contents I

Introduction - Functional Programming Haskell

- Functional Programming

- Tools and Installation

- Hello world(s)

Basics - Syntax

- Arithmetic And Boolean algebra

- Guards, where, let

- if and case construct

- Ranges

- List

- Lambda Functions

Basics - List Functions

- List Functions - length, ++

Coding - Problems on Lists

- Last element

- k th element

Table of contents II

Palindrome List

Problem on Numbers

Primality Test

Greatest common divisor

Euler's totient

Find Best Variance - Stock Data

I/O - Find Best Variance

Coding - Project Euler Problem 1

Problems 1

Coding - Project Euler Problem 26

Problems 26

Section 1

Introduction - Functional Programming Haskell

Functional Programming

Definition and Intuitive idea

- ▶ Computation is just **function evaluation** \neq **program state manipulation**.
- ▶ Based on λ -calculus that is an alternative (to set theory) and convenient formalization of logic and mathematics for expressing **computation**
- ▶ Logic deduction \Leftrightarrow λ -calculus thanks to the Curry-Howard correspondence.
- ▶ A program is a proof!



Figure:
Alonzo-Church,
father of λ -calculus

Imperative vs Functional

- ▶ Imperative

- ▶ Focus on low-level **how!**
- ▶ A program is an ordered sequence of instructions
- ▶ Modifies/tracks the program's state

- ▶ Functional

- ▶ Focus on High level **what!**
- ▶ Specify high-level transformation/constraint on the desired result description.

Imperative, suffer from the so called
indexitis

```
unsigned int sum=0;  
for(int i=1;i<100;i++)  
    sum+=i;
```

Functional

```
sum [1..99]
```

What does this code do?

```
void function (int *a, int n) {
    int i, j, p, t;
    if (n < 2)
        return;
    p = a[n / 2];
    for (i = 0, j = n - 1;; i++, j--) {
        while (a[i] < p)
            i++;
        while (p < a[j])
            j--;
        if (i >= j)
            break;
        t = a[i];
        a[i] = a[j];
        a[j] = t;
    }
    function(a, i);
    function(a + i, n - i);
}
```

...and this?

```
function ::(Ord a) => [a] -> [a]
function [] = []
function (x:xs) = (function l) ++ [x] ++ (function g)
  where
    l = filter (<x) xs
    g = filter (>=x) xs
```

- ▶ No indices
- ▶ No memory/pointer management
- ▶ No variable assignment

Imperative vs Functional

Characteristic	Imperative	Functional
Programmer focus	Algorithm design	What the output look like?
State changes	Fundamental	Non-existent
Order of execution	Important	Low importance (compilers may do much work on this)
Primary flow control	Loops, conditionals	Recursion and Functions
Primary data unit	structures or classes	Functions

- ▶ Other pure/quasi-pure languages: Erlang, Scala, F, LISP.

Why Functional Programming? Why Haskell?

1. Haskell's expressive power can improve productivity/understandability/maintanibility
 - ▶ Get best from compiled and interpreted languages
 - ▶ Can understand what complex library does
2. Strong typed - Catches bugs at *compile time*
3. Powerful type inference engine
4. New Testing metologies
5. Automatic parallelization due to code purity

Haskell platform

A full comprehensive, development environment for Haskell¹².

Installation

▶ `$sudo apt-get install haskell-platform`

GHC (Great Glasgow Compiler): State of the art

GHCi A read-eval-print loop interpreter

Cabal Build/distribute/retrieve libraries

Haddock A high quality documentation generation tool for Haskell

¹<https://www.haskell.org/platform/index.html>

²<http://tryhaskell.org/>

What really is Haskell?

Purely Functional language

- ▶ Functions are first-class object (same things as data)
- ▶ Deterministic - No Side Effect- same function call \Rightarrow same Output, EVER!
This *referential transparency* leaves room for compiler optimization and allow to mathematically prove correctness.
- ▶ safely replace expressions by its (unique) result value
- ▶ **Evaluate expression** rather than execute instruction
- ▶ Function describes what data are, not what what to do to...
- ▶ Everything (variables, data structures...) is immutable
- ▶ Multi-parameters function simply does not exists.

Haskell is Lazy

It won't execute anything until it is *really needed*

- ▶ It is possible to define and work with infinite data structures
- ▶ Define new control structure just by defining a function.
- ▶ Reasoning about time/space complexity much more complicated



Understanding laziness

```
lazyEval 0 b = 1  
lazyEval _ b = b
```

- ▶ b never computed if the first parameter is zero
- ▶ this call is safe:

```
lazyEval 0 (2^123123123123123123123)
```

- ▶ this is not

```
lazyEval 1 (2^123123123123123123123)
```

Strict evaluation: parameter are evaluated **before** to be passed to functions

```
int cont=0;  
auto fcall = [] (int a, int b)  
{if(a==0) return 1; else return b;};  
auto f1 = [] () { cont++; return 1};  
auto f2 = [] () { cont+=10; return 2};  
fcall (f1(),f2()));
```

fcall will always increments *cont* twice!

Hello World

Our First Program

Create a file *hello.hs* and compile with the followings

```
main = putStrLn "Hello World with Haskell"  
$ghc -o hello hello.hs
```

GHCi

Execute and play with GHCi by simply typing

```
reverse [1..10]  
:t foldl  
[1..]  
(filter (even) .reverse) [1..100]
```

Hello Currying

Another example, the k^{th} Fibonacci number (type in GHCi):

```
let f a b k = if k==0 then a else f b (a+b) (k-1)
```

- ▶ Defines a recursive function f that takes a, b, k as parameters:
- ▶ Spaces are important. Are like function call operator $()$ in C-like languages.
- ▶ Wait, three space in $f a b k$: 3 function calls? YES!. **Every function in Haskell officially only takes one parameter.**
- ▶ f in fact has type

```
f :: Integer -> (Integer -> (Integer -> Integer))
```

i.e. a function that takes an integer and return (the $->$) a function that takes an integer and return ...

```
f 0 :: Integer -> (Integer -> Integer)
```

```
f 0 1 :: Integer -> Integer
```

```
f 0 1 10 :: Integer
```


Hello Currying - 2

Currying directly and naturally address the high-order functions support Haskell machinery.

High-order function:

- ▶ Take function as parameter
- ▶ returns a function

zipwith

- ▶ Combines two list of type a and b using a function f that takes a parameter of type a and one of type b and return a value of type c , producing a list of elements of type c .
- ▶ `zipWith :: (a -> b -> c) -> [a] -> [b] -> [c]`

Hello Currying - 2

```
zipWith :: (a -> b -> c) -> [a] -> [b] -> [c]
zipWith _ _ [] = []
zipWith _ [] _ = []
zipWith f (x:xs) (y:ys) = f x y : zipWith f xs ys
```

usage examples

```
zipWith (+) [1,2,3] [4,5,6] = [5,7,9]
zipWith (*) [1,2,3] [4,5,6] = [4,10,18]
zipWith (\a b ->(+) . (2*)) [1..] [1..]
```

What about this call? (missing one parameter)

```
let l = zipWith (*) [1,2,3]
l [3,2,1]
```

Number of distinct powers counting (Project Euler 29)

Consider all integer combinations of a, b for $2 \leq a, b \leq 100$: how many distinct terms are in the sequence generated by a^b ?

$$2^2 = 4, 2^3 = 8, 2^4 = 16, 2^5 = 32$$

$$3^2 = 9, 3^3 = 27, 3^4 = 81, 3^5 = 243$$

$$4^2 = 16, 4^3 = 64, 4^4 = 256, 4^5 = 1024$$

$$5^2 = 25, 5^3 = 125, 5^4 = 625, 5^5 = 3125$$

Naïve solution

```
np a b = length $ nub l
where l = [c^d | c<-[2..a],d<-[2..b]]
```

Hello World - 3

Number of distinct powers counting (Project Euler 29)

Consider all integer combinations of a, b for $2 \leq a, b \leq 100$: how many distinct terms are in the sequence generated by a^b ?

$$2^2 = 4, 2^3 = 8, 2^4 = 16, 2^5 = 32$$

$$3^2 = 9, 3^3 = 27, 3^4 = 81, 3^5 = 243$$

$$4^2 = 16, 4^3 = 64, 4^4 = 256, 4^5 = 1024$$

$$5^2 = 25, 5^3 = 125, 5^4 = 625, 5^5 = 3125$$

Naïve solution

```
np a b = length $ nub l
where l = [c^d | c<-[2..a], d<-[2..b]]
```

Statically Typed

- ▶ Haskell is strictly typed
- ▶ Helps in thinking and express program structure
- ▶ **Turns run-time errors into compile-time errors.** If it compiles, it must be correct is mostly true³.

Abstraction: Every idea, algorithm, and piece of data should occur exactly once in your code.

Haskell features as parametric polymorphis, typeclasses high-order functions greatly aid in fighting repetition.

³It is still quite possible to have errors in logic even in a type-correct program

What really is Haskell?

C-like vs Haskell

Code as the one that follows

```
int acc = 0;
for ( int i = 0; i < lst.length; i++ )
    acc = acc + 3 * lst[i];
```

is full of low-level details of iterating over an array by keeping track of a current index. It much elegantly translates in:

```
sum (map (*3) lst)
```

Other examples:

```
partition (even) [49, 58, 76, 82, 83, 90]
```

```
--prime number generation
```

```
let pgen (p:xs) = p : pgen [x|x <- xs, x `mod` p > 0]
take 40 (pgen [2..])
```

Section 2

Basics - Syntax

Syntax Basics

- ▶ Arithmetic and Boolean algebra works as expected

```
v1 = 12
```

```
v2 = mod (v1+3) 10
```

```
v3 = not $ True || (v2>=v1) --not (True || (v2>=v1))
```

- ▶ Function definition is made up of two part: type and body.
The body is made up of several *clause* that are evaluated
(pattern matched) **top to bottom**.

```
1 exp _ 0 = 1
```

```
2 exp 0 _ = 0
```

```
3 exp a b = a * (exp a (b-1))
```

What if we swap line 2 and 3?

Syntax Basics

- ▶ Arithmetic and Boolean algebra works as expected

```
v1 = 12
```

```
v2 = mod (v1+3) 10
```

```
v3 = not $ True || (v2>=v1) --not (True || (v2>=v1))
```

- ▶ Function definition is made up of two part: type and body.
The body is made up of several *clause* that are evaluated
(pattern matched) **top to bottom**.

```
4 exp _ 0 = 1
```

```
5 exp 0 _ = 0
```

```
6 exp a b = a * (exp a (b-1))
```

What if we swap line 2 and 3?

- ▶ Comments:

```
--this is an inline comment
```

```
{-
```

```
All in here is comment
```

```
-}
```

Syntax Basics

- ▶ Arithmetic and Boolean algebra works as expected

```
v1 = 12
```

```
v2 = mod (v1+3) 10
```

```
v3 = not $ True || (v2>=v1) --not (True || (v2>=v1))
```

- ▶ Function definition is made up of two part: type and body.
The body is made up of several *clause* that are evaluated
(pattern matched) **top to bottom**.

```
7 exp _ 0 = 1
```

```
8 exp 0 _ = 0
```

```
9 exp a b = a * (exp a (b-1))
```

What if we swap line 2 and 3?

- ▶ Comments:

```
--this is an inline comment
```

```
{-
```

```
All in here is comment
```

```
-}
```

Guards, where, let

- ▶ Guards, let and where constructs

```
1 fastExp :: Integer -> Integer -> Integer
2 fastExp _ 0 = 1
3 fastExp a 1 = a
4 fastExp a b
5   | b < 0 = undefined
6   | even b = res*res
7   | otherwise = let next=(fastExp a (b-1)) in (a * next)
8   where res=(fastExp a (div b 2))
```

Suppose we execute *fastExp 2 7*. The call stack would be

- ▶ fastExp 2 7 line 7 pattern match
- ▶ fastExp 2 6 line 6 pattern match

Guards, where, let

► Guards, let and where constructs

```
1 fastExp :: Integer -> Integer -> Integer
2 fastExp _ 0 = 1
3 fastExp a 1 = a
4 fastExp a b
5   | b < 0 = undefined
6   | even b = res*res
7   | otherwise = let next=(fastExp a (b-1)) in (a * next)
8   where res=(fastExp a (div b 2))
```

Suppose we execute *fastExp 2 7*. The call stack would be

- fastExp 2 7 line 7 pattern match
- fastExp 2 6 line 6 pattern match
- fastExp 2 3 line 7 pattern match

Guards, where, let

► Guards, let and where constructs

```
1 fastExp :: Integer -> Integer -> Integer
2 fastExp _ 0 = 1
3 fastExp a 1 = a
4 fastExp a b
5   | b < 0 = undefined
6   | even b = res*res
7   | otherwise = let next=(fastExp a (b-1)) in (a * next)
8   where res=(fastExp a (div b 2))
```

Suppose we execute *fastExp 2 7*. The call stack would be

- fastExp 2 7 line 7 pattern match
- fastExp 2 6 line 6 pattern match
- fastExp 2 3 line 7 pattern match
- fastExp 2 2 line 6 pattern match

Guards, where, let

- ▶ Guards, let and where constructs

```
1 fastExp :: Integer -> Integer -> Integer
2 fastExp _ 0 = 1
3 fastExp a 1 = a
4 fastExp a b
5   | b < 0 = undefined
6   | even b = res*res
7   | otherwise = let next=(fastExp a (b-1)) in (a * next)
8   where res=(fastExp a (div b 2))
```

Suppose we execute *fastExp 2 7*. The call stack would be

- ▶ fastExp 2 7 line 7 pattern match
- ▶ fastExp 2 6 line 6 pattern match
- ▶ fastExp 2 3 line 7 pattern match
- ▶ fastExp 2 2 line 6 pattern match
- ▶ fastExp 2 1 line 3 pattern match, STOP RECURSION

Guards, where, let

► Guards, let and where constructs

```
1 fastExp :: Integer -> Integer -> Integer
2 fastExp _ 0 = 1
3 fastExp a 1 = a
4 fastExp a b
5   | b < 0 = undefined
6   | even b = res*res
7   | otherwise = let next=(fastExp a (b-1)) in (a * next)
8   where res=(fastExp a (div b 2))
```

Suppose we execute *fastExp 2 7*. The call stack would be

- fastExp 2 7 line 7 pattern match
- fastExp 2 6 line 6 pattern match
- fastExp 2 3 line 7 pattern match
- fastExp 2 2 line 6 pattern match
- fastExp 2 1 line 3 pattern match, STOP RECURSION

In contrast to *where*, *let* are expressions and can be used anywhere⁴.

⁴Here for more informations: https://wiki.haskell.org/Let_vs_Where

Guards, where, let

► Guards, let and where constructs

```
1 fastExp :: Integer -> Integer -> Integer
2 fastExp _ 0 = 1
3 fastExp a 1 = a
4 fastExp a b
5   | b < 0 = undefined
6   | even b = res*res
7   | otherwise = let next=(fastExp a (b-1)) in (a * next)
8   where res=(fastExp a (div b 2))
```

Suppose we execute *fastExp 2 7*. The call stack would be

- fastExp 2 7 line 7 pattern match
- fastExp 2 6 line 6 pattern match
- fastExp 2 3 line 7 pattern match
- fastExp 2 2 line 6 pattern match
- fastExp 2 1 line 3 pattern match, STOP RECURSION

In contrast to where, let are expressions and can be used anywhere⁴.

⁴Here for more informations: https://wiki.haskell.org/Let_vs_Where

If, case

- ▶ if construct works as expected

```
1 div' n d = if d==0 then Nothing else Just (n/d)
```

- ▶ case construct

Useful when we don't wish to define a function every time we need to do pattern matching.

```
f p11 ... p1k = e1
```

```
...
```

```
f pn1 ... pnk = en
```

--where each p_{ij} is a pattern,

--is semantically equivalent to:

```
f x1 x2 ... xk = case (x1, ..., xk) of
```

```
(p11, ..., p1k) -> e1
```

```
...
```

```
(pn1, ..., pnk) -> en
```

All patterns of a function return the same type hence all the RHS of the case have the same type

case construct: example

case construct example

Pattern match “outside” the function definition. Note that all the cases return the same type (a list of b 's in this case)

```
cE :: (Ord a) => a -> a -> [b]
cE a b xs = case (a `compare` b, xs) of
  (_, []) -> []
  (LT, xs) -> init xs
  (GT, xs) -> tail xs
  (EQ, xs) -> [head xs]
```

Ranges

ranges

Shortcut for listing stuff that can be enumerated. What if we need to test if a string contains a letter up to the lower case *j*?

(Explicitly list all the letters is not the correct answer).

```
['a'..'j'] -- results in "abcdefghij" (String are [Char])
```

It work even in construction infinite list

```
[1,3..] -- results in [1,3,5,7,9,11,13,15.....]
```

and because of laziness we can (safely) do

```
take 10 [1,3..]
```

List are useful!

- ▶ Collection of elements of the **SAME TYPE**.
- ▶ Delimited by square brackets and elements separated by commas.
- ▶ List can be *consed*. The **cons** operator (`:`) is used to incrementally build list putting an element at its head.
- ▶ empty list is `[]`
- ▶ `cons` is a function that takes two parameter
`(:) :: a -> [a] -> [a]`
`1:2:3:4:[]`

List Comprehension

list comprehension

It is a familiar concept for those who already have some experience in python It resambles the mathematical set specification. For instance let's compute the list of the factorial of the natural numbers

```
[product [2..x] | x<-[1..]]
```

More examples:

```
[[2..x*2] | x<-[1..]]
```

```
[filter (even) [2..x] | x<-[1..]]
```

```
--:m Data.Char (ord)
```

```
[let p=y*x in if even p then (negate p) else  
(p*2) |x<-[1..10], y<-(map ord ['a'..'z'])]
```

```
--:m Data.List (nub)
```

```
nub $ map (\(x,y,z) -> z) [(a,b,c) | a<-[1..20], b<-[1..20],  
c<-[1..20], a^2+b^2==c^2, a+b+c>10]
```

Lambda functions - The Idea

- ▶ Anonymous functions i.e. no need to give it a name
- ▶ $\lambda yx \rightarrow 2x + x^y$ translates in
`(\x y -> 2*x + x^y)`
- ▶ Usually used withing high order function context.
`map (\x -> x*x-3) [1,10..300]`
`map (\x -> let p = ord x in if even p then p else p^2)`
`"Lambda functions are cool!"`
- ▶ $f = (\lambda x_1..x_n \rightarrow \exp(x_1..x_n))(v_1, \dots, v_k)$ substitute each occurrence of the free variable x_i with the value v_j . If $k < n$ f is again a function.
- ▶ `let f = (\x y z -> x+y+z)`
`let sum3 = f 2 3 = (\z -> 2+3+z) --again a function`
`sum23z 4 -> = 9`

Section 3

Basics - List Functions

Lists

List is the most used Data structure in Haskell

- ▶ Homogenous - Only objects of the same type
- ▶ Denoted by [CONTENT OF THE LIST]
- ▶ [["passions"], ["poetry"], ["and"], ["the"], ["ego"] ["have"], ["been"], ["seen"], ["as"], ["perpetual"] ["explosions?"]]
- ▶ String are **List of Char**. We can use list function of strings

length

length is a function that return the length of a List

```
length [1,2,3,4]
```

```
length "Hi guys"
```


Let's try them

- ▶ head, last, init, tail
- ▶ map
- ▶ **fold**s are very important but need separate tutorial!
- ▶ find replicate, cycle, take(while), drop(while)
- ▶ maximum

A common task is to merge two list. Done using the `++` operator

- ▶ `[1..3] ++ [4..10]`, `"Hi" ++ "Guys"`
- ▶ When possible use `(:)` instead of `(++)`, the list concatenation operator. It's much more faster!

Section 4

Coding - Problems on Lists

Problem Statement

Given a polymorphic list l of type $[a]$, find the last element of l (not using function *last*, I'm sorry).

Examples:

```
_last [1,2,3,4] = 4
```

```
_last ["programming","haskell","is","cool"]= "cool"
```

Problem Statement

Given a polymorphic list l of type $[a]$, find the last element of l (not using function *last*, I'm sorry).

Examples:

```
_last [1,2,3,4] = 4
```

```
_last ["programming","haskell","is","cool"]= "cool"
```

Last element

Problem Statement

Given a polymorphic list l of type $[a]$, find the last element of l (not using function *last*, I'm sorry).

Examples:

```
_last [1,2,3,4] = 4
```

```
_last ["programming","haskell","is","cool"]= "cool"
```

Solution

```
_last :: [a] -> a
```

```
_last [] = error "Undefined operation"
```

```
_last (x:[]) = x
```

```
_last (x:xs) = _last xs
```

Last element

Problem Statement

Given a polymorphic list l of type $[a]$, find the last element of l (not using function *last*, I'm sorry).

Examples:

```
_last [1,2,3,4] = 4
```

```
_last ["programming","haskell","is","cool"]= "cool"
```

Solution

```
_last :: [a] -> a
```

```
_last [] = error "Undefined operation"
```

```
_last (x:[]) = x
```

```
_last (x:xs) = _last xs
```

k'th element of a list

Problem Statement

Find the *k*'th element of a list where the first element has index 1

Examples:

```
elementAt 2 [3,35,32,33] = 35
```

```
elementAt 3 [('a',97),('b',98),('c',99)] = ('c',99)
```

```
elementAt 4 [('a',97),('b',98),('c',99)] = error "Index out
```


k 'th element of a list

Problem Statement

Find the k 'th element of a list where the first element has index 1

Examples:

```
elementAt 2 [3,35,32,33] = 35
```

```
elementAt 3 [('a',97),('b',98),('c',99)] = ('c',99)
```

```
elementAt 4 [('a',97),('b',98),('c',99)] = error "Index out
```

k 'th element of a list

Problem Statement

Find the k 'th element of a list where the first element has index 1

Examples:

```
elementAt 2 [3,35,32,33] = 35
```

```
elementAt 3 [('a',97),('b',98),('c',99)] = ('c',99)
```

```
elementAt 4 [('a',97),('b',98),('c',99)] = error "Index out
```

Solution

```
elementAt :: Integer -> [a] -> a
```

```
elementAt _ [] = error "index out of bound"
```

```
elementAt 1 (x:_) = x
```

```
elementAt n (_:xs) = elementAt (n-1) xs
```

k 'th element of a list

Problem Statement

Find the k 'th element of a list where the first element has index 1

Examples:

```
elementAt 2 [3,35,32,33] = 35
```

```
elementAt 3 [('a',97),('b',98),('c',99)] = ('c',99)
```

```
elementAt 4 [('a',97),('b',98),('c',99)] = error "Index out
```

Solution

```
elementAt :: Integer -> [a] -> a
```

```
elementAt _ [] = error "index out of bound"
```

```
elementAt 1 (x:_) = x
```

```
elementAt n (_:xs) = elementAt (n-1) xs
```

Palindromic List

Problem Statement

Write a function that returns a boolean value that indicates whether the input list is palindromic or not. 1

Examples:

```
palindrome "itopinonavevanonipoti" = True
palindrome "[1,2,3,3,1]" = False
```

Palindromic List

Problem Statement

Write a function that returns a boolean value that indicates whether the input list is palindromic or not. 1

Examples:

```
palindrome "itopinonavevanonipoti" = True
palindrome "[1,2,3,3,1]" = False
```

Solution

```
palindrome1 l = l == reverse l

palindrome2 [] = True --empty list is palindrome
palindrome2 (_:[]) = True --one element is palindrome
palindrome2 l
  | head l /= last l = False
  | otherwise = palindrome2 ((tail . init) l)
```

Palindromic List

Problem Statement

Write a function that returns a boolean value that indicates whether the input list is palindromic or not. 1

Examples:

```
palindrome "itopinonavevanonipoti" = True
palindrome "[1,2,3,3,1]" = False
```

Solution

```
palindrome1 l = l == reverse l

palindrome2 [] = True --empty list is palindrome
palindrome2 (_:[]) = True --one element is palindrome
palindrome2 l
  | head l /= last l = False
  | otherwise = palindrome2 ((tail . init) l)
```

Section 5

Problem on Numbers

Primality Test

Problem Statement

Determine whether a given integer number is prime.

Examples:

```
isPrime 57601 = True
```

```
isPrime 1235 = False
```


Primality Test

Problem Statement

Determine whether a given integer number is prime.

Examples:

```
isPrime 57601 = True
isPrime 1235  = False
```

Solution

```
isPrime l k
| k > l = False
| mod l k == 0 = False
| otherwise = isPrime l (k+1)
```

Primality Test

Problem Statement

Determine whether a given integer number is prime.

Examples:

```
isPrime 57601 = True
isPrime 1235  = False
```

Solution

```
isPrime l k
| k > 1 = False
| mod l k == 0 = False
| otherwise = isPrime l (k+1)
```

Problem Statement

Implement the Euclid Method to find the greatest common divisor of two integer.

Examples:

$$\text{gcd}(30, 12) = 6$$

$$\text{gcd}(5, 25) = 5$$

Problem Statement

Implement the Euclid Method to find the greatest common divisor of two integer.

Examples:

$$\text{gcd}(30, 12) = 6$$

$$\text{gcd}(5, 25) = 5$$

Solution

$$\text{gcd}(0, y) = y$$

$$\text{gcd}(x, y) = \text{gcd}(\text{mod}(y, x), x)$$

Problem Statement

Implement the Euclid Method to find the greatest common divisor of two integer.

Examples:

$$\text{gcd}(30, 12) = 6$$

$$\text{gcd}(5, 25) = 5$$

Solution

$$\text{gcd}(0, y) = y$$

$$\text{gcd}(x, y) = \text{gcd}(\text{mod } y \text{ } x, x)$$

Totient function

Problem Statement

Calculate Euler's totient function $\phi(m)$.

Euler's so-called totient function $\phi(m)$ is defined as the number of positive integers r ($1 \leq r < m$) that are **coprime** to m .

Examples:

`totient 10 = 4`

`totient 57601 = 57600 --57601 is prime^^`

Totient function

Problem Statement

Calculate Euler's totient function $\phi(m)$.

Euler's so-called totient function $\phi(m)$ is defined as the number of positive integers r ($1 \leq r < m$) that are **coprime** to m .

Examples:

```
totient 10      = 4
```

```
totient 57601 = 57600 --57601 is prime^^
```

Solution

```
totient n = length [e | e <- [1..n], coprime e n]  
where coprime e n = gcd n e == 1
```

Totient function

Problem Statement

Calculate Euler's totient function $\phi(m)$.

Euler's so-called totient function $\phi(m)$ is defined as the number of positive integers r ($1 \leq r < m$) that are **coprime** to m .

Examples:

```
totient 10 = 4
```

```
totient 57601 = 57600 --57601 is prime^^
```

Solution

```
totient n = length [e | e <- [1..n], coprime e n]  
where coprime e n = gcd n e == 1
```


Section 6

Find Best Variance - Stock Data

Best Variance Day

Problem Statement

Write a program that read a file containing daily stock data. Each line of the file records data regarding prices of a good registered at regular time interval during each day. Find the day which have the maximum variance between opening and closing price (first and last price record).

File content:

```
2012-03-30 , 32.40 , 32.41 , 32.04 , 32.26 , 31749400 , 32.26
2012-03-29 , 32.06 , 32.19 , 31.81 , 32.12 , 37038500 , 32.12
2012-03-28 , 32.52 , 32.70 , 32.04 , 32.19 , 41344800 , 32.19
```

Solution

The Solution. *cabal install split*

```
module Main where
import System.Environment (getArgs)
import Data.List.Split (splitOn)
import Data.List (maximumBy)

--main entry point
main = do
  (fileName:_) <- getArgs
  strF <- readFile fileName
  putStrLn $ maxDay strF

maxDay ::String -> String
maxDay s = snd $ maximum ss
  where
    ss = map (var . (splitOn ",")) $ lines s

var xs = abs diff
  where diff=((read (xs!!1)) - (read (last xs))),head xs)
```

Section 7

Coding - Project Euler Problem 1

Problems 1

Problem Statement

If we list all the natural numbers below 10 that are multiples of 3 or 5, we get 3, 5, 6 and 9. The sum of these multiples is 23. Find the sum of all the multiples of 3 or 5 below 1000.

How would you solve it using Haskell?

Problems 1

Problem Statement

If we list all the natural numbers below 10 that are multiples of 3 or 5, we get 3, 5, 6 and 9. The sum of these multiples is 23. Find the sum of all the multiples of 3 or 5 below 1000.

How would you solve it using Haskell?

```
problem1' = sum .  
            filter (\x -> x `mod` 3==0 || x `mod` 5 ==0)
```

Problems 1

Problem Statement

If we list all the natural numbers below 10 that are multiples of 3 or 5, we get 3, 5, 6 and 9. The sum of these multiples is 23. Find the sum of all the multiples of 3 or 5 below 1000.

How would you solve it using Haskell?

```
problem1' = sum .  
            filter (\x -> x `mod` 3==0 || x `mod` 5 ==0)
```

Section 8

Coding - Project Euler Problem 26

Problems 26

Problem Statement

A unit fraction contains 1 in the numerator. Where $0.1(6)$ means $0.166666\dots$, and has a 1-digit recurring cycle. It can be seen that $1/7$ has a 6-digit recurring cycle.

Find the value of $d < 1000$ for which $1/d$ contains the longest recurring cycle in its decimal fraction part.

- ▶ $1/2 = 0.5$ - 0-recur
- ▶ $1/3 = 0.(3)$ - 1-recur
- ▶ $1/4 = 0.25$ - 0-recur
- ▶ $1/5 = 0.2$ - 0-recur
- ▶ $1/6 = 0.1(6)$ - 1-recur
- ▶ $1/7 = 0.(142857)$ - 6-recur
- ▶ $1/8 = 0.125$ - 0-recur
- ▶ $1/9 = 0.(1)$ - 1-recur
- ▶ $1/10 = 0.1$ - 0-recur

Problems 26 - Solution

Key idea: Find the order of 10 in $\mathbb{N}/p\mathbb{N}$

The length of the repetend (period of the repeating decimal) of $1/p$ is equal to the order of 10 modulo p . If 10 is a primitive root modulo p , the repetend length is equal to $p - 1$; if not, the repetend length is a factor of $p - 1$. This result can be deduced from Fermat's little theorem, which states that $10^{p-1} \equiv 1 \pmod{p}$. (Wikipedia)

The smallest power n of g s.t. $g^n \equiv 1 \pmod{p}$.

Problems 26 - Order finding example

$$10^1 \equiv 10 \pmod{13}$$

$$10^2 \equiv 9 \pmod{13}$$

$$10^3 \equiv 12 \pmod{13}$$

$$10^4 \equiv 3 \pmod{13}$$

$$10^5 \equiv 4 \pmod{13}$$

$$\mathbf{10^6 \equiv 1 \pmod{13}}$$

- ▶ 6 is the order of 10 (modulo 13)
- ▶ `map (\a -> mod (10^a) 13) [1..12]`

Problems 26 - Order finding example

So now the problem is. Compute the order of numbers $n < 1000$ and return the one that have maximum order

```
--modulo, current order
order :: Integer -> Integer -> Integer
order a ord
| mod (10^ord) a == 1 = ord
| ord > a             = 0
| otherwise           = order a (ord+1)

maxo = fst $ maximumBy comparing $ pp
  where
    comparing = (\(m,n) (p,q) -> n `compare` q)
    pp       = map (\x->(x,order x 1))
              (filter (\x-> mod x 10 > 0 ) [1,3..1000])
```



Thank you